

# HYDRAULIC BOTTLE JACK



D90202  
2 TON



D90402  
4 TON



D90602  
6 TON



D90802  
8 TON



D91002  
10 TON



D91202  
12 TON



D91602  
16 TON



D92002  
20 TON



D93202  
32 TON



D95202  
50 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/PACKAGE	QTY/20' CONTAINER
D90202 D90202S	2	148	80	50	2.3	60*21*22 35*35*29	10 6	7000
D94002 D90402S	4	178	110	55	3.3	61*14*22 39*36*30	5 6	5000
D90602 D90602S	6	181	110	60	4.3	61*14*22 41*26*33	5 4	3750
D90802	8	200	125	70	5.3	54*14.5*25	4	3100
D91002	10	200	125	70	5.8	58*16.5*25	4	2856
D91202	12	217	125	70	7.2	32*16*27	2	2250
D91602	16	227	145	70	9.5	32*18*27	2	1764
D92002	20	245	145	70	11	36*18*27	2	1500
D93202	32	255	150	/	15	38*19.5*30	2	920
D95002	50	255	150	/	23	24*22*27	1	550

# HYDRAULIC BOTTLE JACK



D90156  
2 TON



D90406  
4 TON



D90506  
5 TON



D90806  
8 TON



D91006  
10 TON



D91256  
12 TON



D91606  
16 TON



D92006  
20 TON



D93006  
30 TON



D95006  
50 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/ PACKAGE	QTY/20' CONTAINER
D90156 D90156S	2	158	90	60	2.5	60*21*20 35*35*29	10 6	7000
D90306 D90306S	3	195	125	60	3.5	61*14*22 39*36*30	5 6	5000
D90506 D90506S	5	197	125	80	5	61*14*22 41*26*33	6	3720
D90806	8	200	125	70	5.3	54*14.5*25	4	2568
D91006	10	200	125	70	5.8	58*16.5*25	4	2856
D91256	12	217	125	70	7.5	32*16*27	2	2250
D91606	16	227	145	70	9.5	32*18*27	2	1800
D92006	20	245	145	70	11.5	36*18*27	2	1352
D93006	30	255	150	/	18	38*19.5*30.5	2	908
D95006	50	285	180	/	24	24*22*32	1	514

# HYDRAULIC BOTTLE JACK



D90203  
2 TON



D90403  
4 TON



D90603  
6 TON



D90803  
8 TON



D91003  
10 TON



D91253  
12 TON



D91603  
16 TON



D92003  
20 TON



D93003  
30 TON



D95003  
50 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/PACKAGE	QTY/20' CONTAINER
D90203	2	158	90	60	2.5	60*21*22	10	7000
D90403	4	195	125	60	3.3	61*14*24	5	5000
D90603	6	197	125	60	4.3	61*14*22	5	3720
D90803	8	200	125	70	5.3	54*14.5*25	4	2568
D91003	10	200	125	70	5.8	58*16.5*26	4	2580
D91253	12	217	125	70	7.5	32*16*27	2	2248
D91603	16	227	145	70	9.5	32*18*27	2	1800
D92003	20	245	145	70	12	36*18*27	2	1500
D93003	30	285	180	/	18	38*19.5*30	2	908
D95003	50	300	180	/	34	24*22*32	1	514

# HYDRAULIC BOTTLE JACK



D90205  
2 TON



D90405  
4 TON



D90605  
6 TON



D91205  
12 TON



D91204  
12 TON



D91604  
16 TON



D92004  
20 TON



D93004  
30 TON



D95004  
50 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/ PACKAGE	QTY/20' CONTAINER
D91204	12	190	100	60	6.7	58*16*25	4	2368
D91604	16	190	95	58	8.1	62*17*25	4	2000
D92004	20	190	88	58	10.3	36*18*22.5	2	1606
D92504	25	200	98	/	14.8	38*19.5*24	2	1124
D93004	30	200	98	/	17	20*20.5*22.5	1	988
D93204	32	255	150	55	16	38*19.5*30	2	920
D95004	50	240	112	/	27	24*22*27	1	630
D90205	2	170	200	60	3.2	60*21*22	5	4285
D90405	4	156	165	40	4.5	61*14*24	5	3525
D90605	6	154	165	40	5.2	61*14*24	5	3000
D91205	12	200	260	50	12	36*18*27	2	2000

# HYDRAULIC BOTTLE JACK



D90207  
2 TON



D90407  
4 TON



D90507  
5 TON



D90807  
8 TON



D91007  
10 TON



D91207  
12 TON



D91607  
16 TON



D92007  
20 TON



D93007  
30 TON



D95007  
50 TON

MODEL	CAPACITY (T)	MIN. HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/ PACKAGE	QTY/20' CONTAINER
D90207	2	148	80	50	2.3	60*21*22	10	7000
D90307	3	158	90	60	2.5	36.5*21*21	6	6500
D90507	5	178	110	55	3.3	28*25*23	4	5500
D90807	8	181	110	60	3.8	61*14*24	5	4000
D91007	10	200	125	60	5.3	54*14.5*24	4	3200
D91207	12	200	125	60	6	58*16.5*25	4	3000
D91607	16	217	125	70	7.3	32*16*27	2	2500
D92007	20	227	145	70	9.5	32*18*27	2	2000
D93007	30	255	150	/	15	38*19.5*30	2	1000
D95007	50	285	180	/	23	20.5*20*30	1	600

# HYDRAULIC BOTTLE JACK



D90208  
2 TON



D90408  
4 TON



D90608  
6 TON



D90808  
8 TON



D91008  
10 TON



D91208  
12 TON



D91608  
16 TON



D92008  
20 TON




D93208  
32 TON



D95008  
50 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/PACKAGE	QTY/20' CONTAINER
D90208 D90208S	2	181	116	50	2.7	60*21*22 35*35*29	10 6	7000
D90408 D90408S	4	194	118	60	3.3	61*14*22 39*36*30	5 6	5000
D90608 D90608S	6	216	127	60	4.5	61*14*22 41*26*33	5 4	3750
D90808	8	230	147	60	6.0	54*14.5*25	4	3100
D91008	10	230	150	60	6.6	58*16.5*25	4	2856
D91208	12	230	155	60	7.6	32*16*27	2	2250
D91608	16	230	150	60	8.6	36*18*27	2	1764
D92008	20	242	150	60	11.0	36*18*27	2	1500
D93208	32	285	180	/	18.0	38*19.5*30	2	920
D95008	50	300	180	/	34.0	24*22*32	1	550

# HYDRAULIC FLOOR JACK



2 TON

MODEL	JQW-2	JQW-2S
CAPACTTY	2 TON	2 TON
MIN.HEIGHT	135MM	135MM
MAX.HEIGHT	340MM	340MM
N.W(KG)	9	9
G.W(KG)	9.2	9.5
PACKAGE SIZE	47*22*15CM	47*23*15CM
QTY/PACKAGE	1	1
QTY/20' CONTAINER	1800PCS	1900PCS



2 USTON

MODEL	JQW-3	JQW-3S
CAPACTTY	2 UST	2 UST
MIN.HEIGHT	135MM	145MM
MAX.HEIGHT	320MM	320MM
N.W(KG)	8	8
G.W(KG)	8.2	8.5
PACKAGE SIZE	47*22*15CM	45*23*16CM
QTY/PACKAGE	1	1
QTY/20' CONTAINER	1800PCS	1900PCS



2 USTON


MODEL	JQW-4	JQW-4S
CAPACTTY	2 UST	2 UST
MIN.HEIGHT	125MM	125MM
MAX.HEIGHT	300MM	300MM
N.W(KG)	7	7
G.W(KG)	7.2	7.5
PACKAGE SIZE	43*20*14CM	46*22*14CM
QTY/PACKAGE	1	1
QTY/20' CONTAINER	2500PCS	2200PCS



2 USTON

MODEL	JQW-5	JQW-5S
CAPACTTY	2 TON	2 TON
MIN.HEIGHT	130MM	130MM
MAX.HEIGHT	310MM	310MM
N.W(KG)	6	6
G.W(KG)	6.2	6.5
PACKAGE SIZE	43*20*14CM	46*20*14CM
QTY/PACKAGE	1	1
QTY/20' CONTAINER	2500PCS	2200PCS

# HYDRAULIC FLOOR JACK/ JACK STAND



MODEL	JQW-A
CAPACTTY	3TON
MIN.HEIGHT	135MM
MAX.HEIGHT	360MM
N.W(KG)	31
G.W(KG)	32
PACKAGE SIZE	72.5*38.5*21CM
QTY/PACKAGE	1

MODEL	JQW-B
CAPACTTY	3 TON
MIN.HEIGHT	135MM
MAX.HEIGHT	360MM
N.W(KG)	36
G.W(KG)	38
PACKAGE SIZE	72.5*38.5*21CM
QTY/PACKAGE	1



MODEL	A2001
CAPACTTY	2 T
MIN.HEIGHT	280MM
MAX.HEIGHT	425MM
N.W(KG)	5
G.W(KG)	5.5
PACKAGE SIZE	33*23*19CM
QTY/PACKAGE	2

MODEL	A3001
CAPACTTY	3 T
MIN.HEIGHT	290MM
MAX.HEIGHT	410MM
N.W(KG)	5.5
G.W(KG)	6
PACKAGE SIZE	33*23*19CM
QTY/PACKAGE	2



MODEL	A6001
CAPACTTY	6 T
MIN.HEIGHT	390MM
MAX.HEIGHT	585MM
N.W(KG)	10
G.W(KG)	10.5
PACKAGE SIZE	43*29*25CM
QTY/PACKAGE	2



# LONG RAM JACK



D3001  
3 TON



D5001  
5 TON



D8001  
8 TON



D3002  
3 TON



D5002  
5 TON



D8002  
8 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/ PACKAGE
D3001	3	620	1120	50	10	68*22.5*12.5	2
D5001	5	620	1120	60	11	68*22.5*12.5	2
D8001	8	620	1120	55	12	68*22.5*12.5	2
D1201	12	620	1120	60	15	68*22.5*12.5	2
D3002	3	620	1120	60	10	68*22.5*12.5	2
D5002	5	620	1120	60	11	68*22.5*12.5	2
D8002	8	620	1120	70	12	68*22.5*12.5	2
D1202	12	620	1120	70	15	68*22.5*12.5	2

# LONG RAM JACK



D3003  
3 TON



D5003  
5 TON



D8003  
8 TON



D3004  
3 TON



D5004  
5 TON



D8004  
8 TON

MODEL	CAPACITY (T)	MIN.HEIGHT (MM)	LIFTING HEIGHT (MM)	ADJUSTING HEIGHT (MM)	N.W (KG)	PACKAGE SIZE (CM)	QTY/ PACKAGE
D3003	3	620	1120	50	10	68*22.5*12.5	2
D5003	5	620	1120	60	11	68*22.5*12.5	2
D8003	8	620	1120	55	12	68*22.5*12.5	2
D1203	12	620	1120	60	15	68*22.5*12.5	2
D3004	3	620	1120	60	10	68*22.5*12.5	2
D5004	5	620	1120	60	11	68*22.5*12.5	2
D8004	8	620	1120	70	12	68*22.5*12.5	2
D1204	12	620	1120	70	15	68*22.5*12.5	2

# HYDRAULIC BOTTLE JACK



**QW-100A**  
**100 TON**

MODEL	QW-100A
MAX.LIFTING HEIGHT	100 TON
LIFTING HEIGHT	180MM
MIN.HEIGHT	335MM
N.W(KG)	78
PACKAGE SIZE	340*300*385MM

MODEL	QW-100
MAX.LIFTING HEIGHT	100 TON
LIFTING HEIGHT	200MM
MIN.HEIGHT	360MM
NOM.HEIGHT	63.7MPA
DIA.OF BASE	222MM
LIFTING TRAVEL	4.5MM
HANDLE LENGTH	950MM
OPERATING FORCE ON HANDLE	36*2KGF
QUANTITY OF OIL	3.5L
N.W(KG)	120
PACKAGE SIZE	610*410*510MM



MODEL	QW-200
MAX.LIFTING HEIGHT	200 TON
LIFTING HEIGHT	200MM
MIN.HEIGHT	400MM
NOM.HEIGHT	69.2MPA
DIA.OF BASE	314MM
LIFTING TRAVEL	2.5MM
HANDLE LENGTH	950MM
OPERATING FORCE ON HANDLE	36*2KGF
QUANTITY OF OIL	7L
N.W(KG)	250
PACKAGE SIZE	710*530*590MM

MODEL	QW-320
MAX.LIFTING HEIGHT	320 TON
LIFTING HEIGHT	200MM
MIN.HEIGHT	450MM
NOM.HEIGHT	69.3MPA
DIA.OF BASE	394MM
LIFTING TRAVEL	1.6MM
HANDLE LENGTH	950MM
OPERATING FORCE ON HANDLE	36*2KGF
QUANTITY OF OIL	10L
N.W(KG)	435
PACKAGE SIZE	730*610*640MM



# AIR/ HYDRAULIC JACK/ PORTABLE JACK



**BQ-12  
12TON**

MODEL	BQ-12
CAPACTTY	12 TON
MIN.HEIGHT	260MM
LIFTING HEIGHT	160MM
N.W(KG)	16.5
G.W(KG)	17
PACKAGE SIZE	27*21*28CM
QTY/PACKAGE	1
QTY/20' CONTAINNER	1100 PCS

MODEL	BQ-20
CAPACTTY	20 TON
MIN.HEIGHT	265MM
LIFTING HEIGHT	165MM
N.W(KG)	17
G.W(KG)	18
PACKAGE SIZE	27*21*28CM
QTY/PACKAGE	1
QTY/20' CONTAINNER	1100 PCS



**BQ-20  
20TON**



**BQ-20A  
20TON**

MODEL	BQ-20A
CAPACTTY	20 TON
MIN.HEIGHT	210MM
LIFTING HEIGHT	110MM
N.W(KG)	15
G.W(KG)	16
PACKAGE SIZE	27*21*28CM
QTY/PACKAGE	1
QTY/20' CONTAINNER	1100 PCS

# HYDRAULIC BOTTLE JACK/ 2T SPIRAL JACK

B5001

**50 TON**



MODEL	B500
CAPACTTY	50 T
MIN.HEIGHT	300MM
LIFTING HEIGHT	180MM
N.W(KG)	38
G.W(KG)	40
PACKAGE SIZE	30*22*30CM
QTY/PACKAGE	1

MODEL	D3002A
CAPACTTY	3 T
MIN.HEIGHT	260MM
LIFTING HEIGHT	175MM
N.W(KG)	3.5
G.W(KG)	4.0
PACKAGE SIZE	35*26.5*27.5CM
QTY/PACKAGE	6

D3002A

**3 TON**



K2001

**2 TON**



MODEL	K2001
CAPACTTY	2 T
MIN.HEIGHT	180MM
LIFTING HEIGHT	400MM
N.W(KG)	3.6
G.W(KG)	4.0
PACKAGE SIZE	52*18*23.5CM
QTY/PACKAGE	4

# HYDRAULIC BOTTLE JACK/ PIPE BENDER



T1201  
12TON



T1601  
16TON

MODEL	K2001
CAPACTTY	2 T
MIN.HEIGHT	180MM
LIFTING HEIGHT	400MM
N.W(KG)	3.6
G.W(KG)	4.0
PACKAGE SIZE	52*18*23.5CM
QTY/PACKAGE	4

MODEL	K2001
CAPACTTY	2 T
MIN.HEIGHT	180MM
LIFTING HEIGHT	400MM
N.W(KG)	3.6
G.W(KG)	4.0
PACKAGE SIZE	52*18*23.5CM
QTY/PACKAGE	4

YWG-12B  
12TON



YWG-16B  
16TON



MODEL	CAPACTTY	DIE SIZE (MM)	N.W(KG)	PACKAGE SIZE	QTY/ PACKAGE	QTY/ 20' CONTAINER
YWG-12B	12	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	38	64.5*24.5*17	1	360
YWG-16B	16	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" 2-1/2" 3"	64	61.5*60.5*19	1	250

# RACK AND PINION JACK/ENGINE HOIST



MODEL	MAX.LIFTING CAPACITY	MAX.RAISE CAPACITY	LIFTING HEIGHT	MAX.HEIGHT	HOOK HEIGHT
QD-5	5T	2.5	200	1	43
QD-10	10T	5	200	1	45
QD-15	15T	7.5	280	590	60

MODEL	B-501
CAPACITY	1 TON
LIFTING RANGE	55-2270MM
LENGTH	1560MM
WIDTH	935MM
HEIGHT	1530MM
N.W(KG)	84
G.W(KG)	88
PACKAGE SIZE	1600*420*160CM
QTY20' CONTAINER	205 PCS



